L Number	Hits	Search Text	DB	Time stamp
1	167	(trench or opening or hole or via or window or gap or container or housing or recess or groove or aperture or cavity) with ((dielectric or insulating) with capacitor) with ((upper or second or top) with (electrode)) with (FOX or isolation or "field oxide" or "field-oxide")	USPAT; US-PGPUB	2004/10/29 09:12
2	4081314	@ad<20031008	USPAT; US-PGPUB	2004/10/29 09:08
3	162	((trench or opening or hole or via or window or gap or container or housing or recess or groove or aperture or cavity) with ((dielectric or insulating) with capacitor) with ((upper or second or top) with (electrode)) with (FOX or isolation or "field oxide" or "field-oxide")) and @ad<20031008	USPAT; US-PGPUB	2004/10/29 09:08
4	84814	438/$7.ccls.	USPAT; US-PGPUB	2004/10/29 09:09
5	78	(((trench or opening or hole or via or window or gap or container or housing or recess or groove or aperture or cavity) with ((dielectric or insulating) with capacitor) with ((upper or second or top) with (electrode)) with (FOX or isolation or "field oxide" or "field-oxide")) and @ad<20031008) and 438/$7.ccls.	USPAT; US-PGPUB	2004/10/29 09:09
6	6	(("20010024854") or ("6720600") or ("5665624") or ("6352898") or ("5521111") or ("5501999")).PN.	USPAT; US-PGPUB	2004/10/29 09:10
7	519	((trench or opening or hole or via or window or gap or container or housing or recess or groove or aperture or cavity) with (FOX or isolation or "field oxide" or "field-oxide")) with ((capacitor) with (dielectric or insulating))	USPAT; US-PGPUB	2004/10/29 09:14
8	502	@ad<20031008 and (((trench or opening or hole or via or window or gap or container or housing or recess or groove or aperture or cavity) with (FOX or isolation or "field oxide" or "field-oxide")) with ((capacitor) with (dielectric or insulating)))	USPAT; US-PGPUB	2004/10/29 09:13
10	4	((trench or opening or hole or via or window or gap or container or housing or recess or groove or aperture or cavity) with (FOX or isolation or "field oxide" or "field-oxide")) with ((capacitor) with ((dielectric or insulating) with (high with constant)))	USPAT; US-PGPUB	2004/10/29 10:15
12	1	438/$7.ccls. and (@ad<20031008 and (((trench or opening or hole or via or window or gap or container or housing or recess or groove or aperture or cavity) with (FOX or isolation or "field oxide" or "field-oxide")) with ((capacitor) with ((dielectric or insulating) with (high with constant)))))	USPAT; US-PGPUB	2004/10/29 09:15

11	4	@ad<20031008 and (((trench or opening or hole or via or window or gap or container or housing or recess or groove or aperture or cavity) with (FOX or isolation or "field oxide" or "field-oxide")) with ((capacitor) with ((dielectric or insulating) with (high with constant))))	USPAT; US-PGPUB	2004/10/29 09:20
9	269	438/$7.ccls. and (@ad<20031008 and (((trench or opening or hole or via or window or gap or container or housing or recess or groove or aperture or cavity) with (FOX or isolation or "field oxide" or "field-oxide")) with ((capacitor) with (dielectric or insulating))))	USPAT; US-PGPUB	2004/10/29 10:14
13	3099	((438/210) or (438/239) or (438/240) or (438/243) or (438/244) or (438/386) or (438/387)).CCLS.	USPAT; US-PGPUB	2004/10/29 10:14
14	28	((trench or opening or hole or via or window or gap or container or housing or recess or groove or aperture or cavity) with ((dielectric or insulating) with capacitor) with ((upper or second or top) with (electrode)) with (FOX or isolation or "field oxide" or "field-oxide")) and (((438/210) or (438/239) or (438/240) or (438/243) or (438/244) or (438/386) or (438/387)).CCLS.)	USPAT; US-PGPUB	2004/10/29 10:15
15	27	(((trench or opening or hole or via or window or gap or container or housing or recess or groove or aperture or cavity) with ((dielectric or insulating) with capacitor) with ((upper or second or top) with (electrode)) with (FOX or isolation or "field oxide" or "field-oxide")) and @ad<20031008) and (((438/210) or (438/239) or (438/240) or (438/243) or (438/244) or (438/386) or (438/387)).CCLS.)	USPAT; US-PGPUB	2004/10/29 10:15
16	0	(((trench or opening or hole or via or window or gap or container or housing or recess or groove or aperture or cavity) with (FOX or isolation or "field oxide" or "field-oxide")) with ((capacitor) with ((dielectric or insulating) with (high with constant)))) and ((((trench or opening or hole or via or window or gap or container or housing or recess or groove or aperture or cavity) with ((dielectric or insulating) with capacitor) with ((upper or second or top) with (electrode)) with (FOX or isolation or "field oxide" or "field-oxide")) and @ad<20031008) and (((438/210) or (438/239) or (438/240) or (438/243) or (438/244) or (438/386) or (438/387)).CCLS.))	USPAT; US-PGPUB	2004/10/29 10:15

17	27	(438/$7.ccls. and (@ad<20031008 and (((trench or opening or hole or via or window or gap or container or housing or recess or groove or aperture or cavity) with (FOX or isolation or "field oxide" or "field-oxide")) with ((capacitor) with (dielectric or insulating))))) and ((((trench or opening or hole or via or window or gap or container or housing or recess or groove or aperture or cavity) with ((dielectric or insulating) with capacitor) with ((upper or second or top) with (electrode)) with (FOX or isolation or "field oxide" or "field-oxide")) and @ad<20031008) and (((438/210) or (438/239) or (438/240) or (438/243) or (438/244) or (438/386) or (438/387)).CCLS.))	USPAT; US-PGPUB	2004/10/29 10:15